

Beiblatt zum Sicherheitsdatenblatt / Supplement to the safety data sheet

Abschnitt 1 / Section 1

- 1.1 Produktidentifikation / Product identification
- 1.2 Verwendungen des Stoffs / Uses of the substance
- s. Original-Datenblatt / see original safety data sheet
- s. Original-Datenblatt / see original safety data sheets. Original-Datenblatt / see original safety data sheet
- 1.3 Einzelheiten zum Lieferanten / Details of the supplier

Firmenname / Supplier Stürmer Maschinen GmbH,
Straße / Street Dr.-Robert-Pfleger-Str. 26,
Ort / City D-96103 Hallstadt

Tel. / Phone +49 (0)951 96555 - 0 (07:00 - 17:00 Uhr / 07:00 am - 05:00 pm)

E-Mail / E-Mail info@stuermer-maschinen.de

1.4 Notrufnummer / Emergency Telephone

Wählen Sie die passende Notrufnummer anhand des GHS-Symbols auf Ihrem Gefahrgut oder entsprechend Abschnitt 2.2 des orig. Sicherheitsdatenblattes *. Call the appropriate emergency number using the GHS symbol on your dangerous goods or according to section 2.2 of the original safety data sheet *.

GHS Gefahren- piktogramm / GHS symbol	GHS-Kürzel/ GHS-no.	Mögliche Signalwörter/ Warning	Gefährdungsklassen / Description of hazards	Notrufnummer */ Emergency Phone *
	GHS01 bis GHS09			+49 (0)951 96555 - 590 Sammelnotrufnummer Gefahrstoffe
	GHS01	Gefahr oder Achtung / Danger or Attention	Explosive Stoffe/Gemische und Erzeugnisse mit Explosivstoff, selbstzersetzliche Stoffe/Gemische, organische Peroxide / Explosive substances / mixtures and products containing explosives, self-reactive substances / mixtures, organic peroxides	- 591
(8)	GHS02	Gefahr oder Achtung / Danger or Attention	Selbstzersetzliche Stoffe/Gemische, organische Peroxide, entzündbare Gase, Aerosole Flüssigkeiten, Feststoffe, selbsterhitzungsfähige Gemische, pyrophore Flüssigkeiten und Feststoffe, Stoffe/Gemische, die bei Berührung mit Wasser entzündbare Gase bilden / Self-reactive substances / mixtures, organic peroxides, flammable gases, aerosols, liquids, solids, self-heating mixtures, pyrophoric liquids and solids, substances / mixtures which form flammable gases on contact with water	- 592
®	GHS03	Gefahr oder Achtung / Danger or Attention	Oxidierende Gase, Flüssigkeiten, Feststoffe / Oxidizing gases, liquids, solids	- 593
	GHS04	Achtung / Attention	Verdichtete, verflüssigte, gelöste und tiefgekühlt verflüssigte Gase / Compressed, liquefied, dissolved and refrigerated liquefied gases	- 594
	GHS05	Gefahr oder Achtung / Danger or Attention	Verätzung der Haut, schwere Augenschäden, auch metallkorrosive Eigenschaften / Chemical burns to the skin, severe eye damage, also metal-corrosive properties	- 595
	GHS06	Gefahr / Danger	Äußerst schwere und schwere akute Gesundheitsschäden oder Tod / Extremely severe and severe acute damage to health or death	- 596
<u>(!)</u>	GHS07	Achtung / Attention	Akute Gesundheitsschäden, Reizung der Haut, der Augen und der Atemwege, Sensibilisierung der Haut, narkotisierende Wirkungen / Acute damage to health, irritation of the skin, eyes and the respiratory tract, sensitization of the skin, narcotic effects	- 597
&	GHS08	Gefahr oder Achtung / Danger or Attention	Chronische Gesundheitsschäden (Organschädigungen) bei einmaliger oder mehrmaliger Exposition, krebserzeugende, erbgutverändernde und fortpflanzungsgefährdende Wirkungen, Lungenschäden durch Eindringen von Substanzen in die Lunge (Aspirationsgefahr), Sensibilisierung der Atemwege / Chronic damage to health (damage to organs) after single or multiple exposure, carcinogenic, mutagenic and reproductive effects, lung damage due to the penetration of substances into the lungs (risk of aspiration), sensitization of the respiratory tract	- 598
E	GHS09	Achtung oder ohne Signalwort/ Attention or without wording	Giftig für Wasserorganismen mit kurz- und langfristiger Wirkung / Toxic to aquatic organisms with short and long-term effects	- 599

^{* 07:00 - 17:00} Uhr, außerhalb dieses Zeitraums kann die Nummer auf dem Sicherheitsdatenblatt angerufen werden / 07:00 am - 05:00 pm, outside this time, the number on the safety data sheet can be called

Für alle anderen Informationen siehe Original-Sicherheitsdatenblatt / For all other information, see the original safety data sheet



Safety Data Sheet

Report No.: SHA55-23020128-JC-01En

Sample Name: Low temperature hydraulic oil 32#

Client: Ningbo Chunrui Lubricant Co., Ltd

GLOBALLY HARMONIZED SYSTEM OF

Warranty of CLASSIFICATION AND LABELLING OF

Design: CHEMICALS (GHS) Ninth revised edition





Terms of the Using of the Report

The information provided by the client is the basis for the correct formulation of this SDS, and our

laboratory shall not bear any consequences caused by the wrong information provided

by the client.

If there is any change in the chemical information submitted by the client, this report will

automatically become invalid.

The results of this report are only responsible for this sample.

This report shall not be modified, added or deleted without authorization, otherwise it will be

invalid.

Partial provision or partial reproduction of the report is considered invalid. The full copy

without the "special stamp for inspection and testing" or "special stamp for report" is deemed

invalid.

6. If you have any questions about the report, please submit it within 15 working days after

receiving the report.

Complied by:

Approved by:

Issued Date:

lu Wan. D: hong Sun

2023.02.17



Safety Data Sheet

Low temperature hydraulic oil 32#

Version: V1.0

Report No.: SHA55-23020128-JC-01En

Creation Date: 2023/02/17 Revision Date: 2023/02/17

*Prepared according to UN GHS (the 9th revised edition)

1 Identification

| Product identifier

Product Name	Low temperature hydraulic oil 32#
Product Model	L-HV32#
Cat No.	-
CAS No.	8002-05-9
EC No.	232-298-5
Molecular Formula	-
Sample picture(s)	

Recommended use of the product and restrictions on use

Relevant identified uses	Hydraulic system.
Uses advised against	Please consult manufacturer.

Details of the supplier

Name of the company	Ningbo Chunrui Lubricant Co., Ltd
Address of the company	No. 5, Zhongshan East 1st Road, Yuyao City, Zhejiang Province
Post code	
Telephone number	0574-62581900
Fax number	0574-62581900
E-mail address	214526684@qq.com

| Emergency phone number

Emergency phone number	0574-62581234

2 Hazard(s) identification

| Hazard classification according to GHS

·	•
Flammable Liquids	Category 2
Carcinogenicity	Category 1

GHS Label elements



Hazard pictograms	
Signal word	Danger

Hazard statements

H225	Highly flammable liquid and vapour
H350	May cause cancer

| Precautionary statements

Prevention

•	
P203	Obtain, read and follow all safety instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
A D	

Response

P318	IF exposed or concerned, get medical advice.
P370+P378	In case of fire: Use appropriate extinguishing media mentioned in Section 5 of the SDS to extinguish.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].

Storage

P405	Store locked up.
P403+P235	Store in a well-ventilated place. Keep cool.

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

Hazard description

Physical and chemical hazards

Health hazards

Inhaled	Inhalation of the product may produce	adverse health effects or irritation
	of the respiratory tract following discom	fort.



Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Eye	This product may cause temporary discomfort following direct contact with the eye.
Environmental hazards	
	Please refer to 12th chapter of SDS.

Composition/information on ingredients

Substance/mixture

Substance

Component	CAS No.	EC No.	Concentration (wt, %)
Lubricant base 8002-05-9		232-298-5	100

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

| Most important symptoms/effects, acute and delayed

1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.
- Fire-fighting measures



| Extinguishing media

Suitable extinguishing media	Small Fire: Dry chemical, CO2, water spray or alcohol-resistant foam; Large Fire: Water spray, fog or alcohol-resistant foam.
Unsuitable extinguishing	Do not use a solid water stream as it may scatter or spread fire.
media	

Specific hazards arising from the substance or mixture

1	Will form explosive mixtures with air.
2	Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/ or vapour concentration.
3	Vapours may travel to source of ignition and flash back.
4	Liquid and vapour are flammable.
5	Development of hazardous combustion gases or vapor possible in the event of fire.
6	May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
 Fight fire from a safe distance, with adequate cover.
 Prevent fire extinguishing water from contaminating surface water or the ground water system.
- 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours and contacting with skin and eye.

Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.

Use personal protective equipment,do not breathe gas/mist/vapour/spray.

Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-static clothing.
- 2 In case of small amount of spillage, use clean non sparking tools to collect absorption materials.



- In case of large amount of spillage, construct cofferdam or dig a hole to collect the spillage. Use foam cover to reduce evaporation. Water spray mist can reduce evaporation, but can not reduce the flammability of the leakage in the restricted space. 4 Collect absorbent material using a clean, non-sparking tool. 5 Cover with anti-solvent foam to reduce evaporation. Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain. 7 Water spray reduces evaporation but does not reduce the flammability of spills in confined spaces. 8 Cut off the source of the leak as much as possible. 9 Keep leaks in a ventilated place. 10 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding. 11 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and 12
- 7 Handling and storage

place in container.

13

Precautions for safe handling

- 1 Avoid inhalation of vapors.2 Use only non-sparking tools.
- To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- 6 Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- 8 Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.
- 8 Exposure controls/personal protection

| Control parameters

Component Country/Regio		Limit value - Eight hours		Limit value - Short term	
	n	ppm	mg/m³	ppm	mg/m³
Lubricant base	USA - NIOSH	-	350	-	1800



Singapore	300	1370	-	-

Biological limit values

Biological limit values	No relevant regulations
-------------------------	-------------------------

Monitoring methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 300 series standard Determination of toxic substances in workplace air.

Engineering controls

- Ensure adequate ventilation, especially in confined areas.
 Ensure that eyewash stations and safety showers are close to the workstation location.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Set up emergency exit and necessary risk-elimination area.
- Personal protection equipment

General requirement	
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear anti static chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear anti static chemical protective clothing and anti static shoes.

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

Physical state	Liquid
Colour	Red
Odor	Sour
Odor threshold	No information available
рН	7.7
Melting point/freezing point(°C)	-43
Initial boiling point and boiling range(°C)	180
Flash point(Closed cup,°C)	205
Evaporation rate	No information available
Flammability	Not flammable
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available



Vapor pressure	No information available
Relative vapour density(Air =	No information available
1)	
Relative density(Water=1)	No information available
Solubility	No information available
n-octanol/water partition	No information available
coefficient	
Auto-ignition	No information available
temperature(°C)	
Decomposition	No information available
temperature(°C)	
Kinematic viscosity	No information available
Particle characteristics	Not applicable

10 Stability and reactivity

| Stability and reactivity

1	
Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	No information available.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	No information available.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Lubricant base	> 4300mg/kg(Rat)	No information available	No information available

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
Lubricant base	Category 3	Not Listed

Others

Lubricant base (Component)	
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met



Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Reproductive toxicity(additional)	Based on available data, the classification criteria are not met

12 Ecological information

| Acute aquatic toxicity

Component	Fish	Crustaceans	Algae
Lubricant base	LC ₅₀ : 3mg/L (96h)(Fish)	EC ₅₀ : 1.65mg/L	No information available
		(48h)(Crustaceans)	

| Chronic aquatic toxicity

Chronic aquatic toxicity | No information available

| Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
Lubricant base	High(Half-life = 720 days)	Low(Half-life = 20.88 days)

| Bioaccumulative potential

Component	Bioaccumulative potential	Comments
Lubricant base	High	BCF=4360

Mobility in soil

Component	Mobility in soil	Soil Organic Carbon-Water Partitioning Coefficient
		(Koc)
Lubricant base	Low	165.5

Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
Lubricant base	Insufficient information, temporarily unable to evaluate

13 Disposal considerations



Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and
	regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label



IMDG-CODE

•			
UN number	1993		
UN proper shipping name	FLAMMABLE LIQUID, N.O.S.		
Transport hazard class	3		
Transport subsidiary hazard	None		
class			
Packing group	п		
Marine pollutant (Yes or no)	No		

| IATA-DGR

UN number	1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
Transport hazard class	3
Transport subsidiary hazard	None
class	
Packing group	п

UN-ADR

UN number	1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S.
Transport hazard class	3
Transport subsidiary hazard	None
class	
Packing group	п

15 Regulatory information



International chemical inventory

Component	EC invent	TSCA	DSL	IECS C	NZIo C	PICC S	KECI	AIIC	ENC S
	ory								
Lubricant base	√		√	√	V	$\sqrt{}$	√	$\sqrt{}$	×

[EC European Inventory of Existing Commercial Chemical Substances

inventory] [TSCA]

United States Toxic Substances Control Act Inventory

[DSL] Canadian Domestic Substances List

[IECSC] China Inventory of Existing Chemical Substances

[NZIoC] New Zealand Inventory of Chemicals

[PICCS] Philippines Inventory of Chemicals and Chemical Substances

[KECI] Korea Existing Chemicals Inventory

[AIIC] Australia. Inventory of Industrial Chemicals (AIIC)

[ENCS] Japan Inventory of Existing & New Chemical Substances

Note:

" $\sqrt{}$ " Indicates that the substance included in the regulations.

"x" No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2023/02/17
Revision Date	2023/02/17
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home。
- [2] IARC, website: http://www.iarc.fr/。
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/substancesearch/index.action。
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/。
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg。
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/。

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Develo
PC-TWA	Time Weighted Average	IMDG- CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hy
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P_{OW}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to repro-
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor		

Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 9th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

End of the report